

United States Patent and Trademark Office

N. P. S. C. S. DEPOSITORNE SERVICE OF STREET

Application Number	Liling Date First Named Applicant	Atty Docket No
(10, 005,000	11 28 2001 Bjornson, Torleif	50225-8028 US03

22018 PERKINS COIE LLP P.O. BOX 2168 MENLO PARK CA 94026

Title: Multiple array microfluidic device units

Date Mailed of 28 2002

Request for Substitute Papers

The papers filed on 02 19 02 (certificate of mailing dated 01 25 02) are no longer in condition to become part of the permanent records of the United States Patent and Trademark Office (USP1O) for this application (37 CFR 1 52(a)) due to the United States Postal Service sanitization process

The USPTO requests that applicant provide a copy of the above-identified papers (except for any US or foreign patent documents submitted with the above-identified papers) with a statement that such copy is a complete and accurate copy of the above-identified papers (signing and returning a copy of this notice will provide such a statement). The reply to this letter should be submitted to the USPTO by facsimile at the number indicated 703-746-4060(OIPE).

Alternatively, the reply to this letter may be hand-carried to the Customer Service Window located in Room 1B03 of Crystal Plaza Building 2. Arlington, Virginia, 22202

The USPTO strongly prefers that the reply to this letter be submitted by facsimile. However, if applicant cannot submit the reply to this letter by facsimile (or hand-delivery), the reply may be mailed to Box Duplicate OIPE, U.S. Patent and Trademark Office, P.O. Box 2327, Arlington, VA 22202-2327

This letter is not a notice under 37 CFR 1 251. However, failure to timely replay to this notice within two (2) weeks of the date of receipt of this letter may result in the USPTO issuing a notice under 37 CFR 1 251. A copy of this notice should be included with the reply.

The enclosed papers are a complete and	accurate copy of the above-identified papers
Name	Registration No
Signature	Date